

MITES | WHITEFLY | CATERPILLARS | APHIDS | CURL GRUBS CHARLES | APHIDS CHARLES | MEALYBUGS | LAWN ARMYWORM | CITRUS LEAFMINER FUNGUS GNATS | WINGLESS GRASSHOPPERS | SOOTY MOULD

HOW TO PREPARE

CAUTION

HOW TO PREPARE

eco-neem as a biologically derived product that is active
marks and the CPC drug device is a trade
marks and the CPC drug device is a trade
marks and the CPC drug device is a trade
marks and the CPC drug device is a trade
marks of disparit Corp Protectarts.

Consideria

Conside

STORAGE & DISPOSAL: Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag

and putting in garbage.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear rubber gloves. Wash hands after use. After each day's use

Wash gloves.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

FOR EMERGENCIES ONLY CALL: 1800 033 111 (24 HOURS).

www.ecoorganicgarden.com.au

CAUTION

PLANT SAFETY: Tries on sensitive plants such as forms
prosesties and African violets have resulted in leaf
sprongly in determine sensitive species and varieties.
DO NIOT allow chemical containers or soyal to get into
drains, sewers, streams or provide, DO NIOT level however's

EAN BARCODE 9336099000319

DO NOT use on plants that produce food for human or animal consumption

Plant/Situation	Pest	Rate	How to Apply	
Ornamental plants	Two-spotted Mites Whitefly Aphids Caterpillars Sooty mould	Mix 10mL per 5L water	Apply when pests appear. Re-apply every 7 days while pests are present. Good coverage is important so apply spray to upper and underside of leaves to point of run-off. Caterpillars: Use of an emulsified botanical oil spray additive is recommended. Mealybugs: Use the higher rate when	
	Wingless Grasshoppers	Mix 15mL per 5L water		
	Mealybugs	Mix 15-30mL per 5L water	pest numbers are high." Sooty mould: Spray insects directly above and around or within the sooty mould affected areas. Note plant safety CAUTION information.	
Home garden lawns, plant pots and garden beds (ornamentals only)	Lawn armyworm	Mix 20mL per 5L water to treat 10 square metres.	Apply at the first sign of pest infestation and before pest populations build up to damaging levels. Ensure thorough coverage of treated areas. Apply using a watering can.	
	Curl grubs (African black beetle larvae)	Mix 10mL per litre water	Apply as a soil drench using a watering can. For Curl Grubs the optimum application time is peak egg hatch which occurs between mid Spring to mid Summer. Ensure thorough coverage of treated areas.	

Plant/ Situation	Pest	Rate	How to Apply
Ornamental citrus	Citrus leaf miner	Mix 25mL per 10L water	Begin applying when new flush growth is 4 cm long. Apply every 5 to 14 days with presence of new flush growth. Ensure that new flush leaves are sprayed on top and underneath.
Potting soil (for ornamental plants only)	Fungus gnats	30mL per 10L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

STORAGE & DISPOSAL: Store in the closed, original container in a cod, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container plasts to lag and putting in garbage.

SAFETY DIRECTIONS: Will imitate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear